

A Technical Guide to Roman Blind Systems



Cord Operated Blind Kit & Components

Chain Operated Blind Kit & Components

Enclosed Roman Blind Kit & Components & Professional Profile

Plus Anything else you need to make up a Roman Blind


Call: **01772 202 202**

Fax: **01772 515 515**

email: **sales@hallishudson.com**

Cord Operated Roman Blind Kit

A complete kit plus available as separate components.
Can be cut down easily.



Specification:

- Profile - weight 180gm/m
- Profile - white
- Profile - size 23mm x 8mm
- Rods - 4mm white
- Brackets - face and ceiling fix

Cat No	Description	Width	Quantity
0909R/60	Cord	60cm (23 ¹ / ₂ "	1
0909R/90	Cord	90cm (35"	1
0909R/120	Cord	120cm (47"	1
0909R/150	Cord	150cm (59"	1
0909R/180	Cord	180cm (70"	1


Bulk Buy

Cat No	Description	Width	Quantity
0909R/60/5	Cord	60cm (23 ¹ / ₂ "	5
0909R/90/5	Cord	90cm (35"	5
0909R/120/5	Cord	120cm (47"	5
0909R/150/5	Cord	150cm (59"	5
0909R/180/5	Cord	180cm (70"	5

Cord Operated Kit contents:

- R.B Track incl T/C tape & end caps (23mm x 8mm)
- Face/ceiling fix brackets
- Cord guides and cord lock preloaded with 1.5mm cord
- White Aluminium bottom bar (cut to length)
- 7 x 4mm Fibre glass rods cut to length
- Roman blind tape 6m
- Transparent rings
- Screw & plugs
- Instruction leaflet

Austrian/Roman and Festoon - Cord Operated
Workroom/Contract Blind Kits. Ideal for light to
medium weight applications. Apart from your
fabric, everything is included.



Cord Operated Roman Blind

Individual components


1



Roman Blind Track including T/C tape

Cat No	Description	Size	Quantity
0971R/300	Profile White	300cm	5 Lengths
0971R/600	Profile White	600cm	5 Lengths

2



Face/Ceiling fix brackets

Cat No	Description	Size	Quantity
A. 0973R	Face/Ceiling Bracket White	-	100
B. 0974R	Face/Ceiling Bracket with Lever Lock	4.5cm	40
C. 0975R	Face/Ceiling Bracket	8cm	20

3



Cord Lock

Cat No	Description	Quantity
0976R	Cord Lock	20

4



Cord Guide

Cat No	Description	Quantity
0977R	Cord Guide (8 Cords)	50

5



Profile End Cap (2 per track)

Cat No	Description	Quantity
0978R	Profile End Cap	100



Profile Joiner (Ideal component to maximize usage)

Cat No	Description	Quantity
0980R	Profile Joiner	10

Chain Operated Roman Blind Kit

A complete kit plus available as separate components.
Can be cut down easily.




Specification:

- Profile - weight 180gm/m
- Profile - white
- Profile - size 23mm x 8mm
- Rods - 4mm white
- Brackets - face and ceiling fix

Cat No	Description	Width	Quantity
0928R/60	Chain	60cm (23 1/2")	1
0928R/90	Chain	90cm (35")	1
0928R/120	Chain	120cm (47")	1
0928R/150	Chain	150cm (59")	1
0928R/180	Chain	180cm (70")	1

Bulk Buy

Cat No	Description	Width	Quantity
0928R/60/5	Chain	60cm (23 1/2")	5
0928R/90/5	Chain	90cm (35")	5
0928R/120/5	Chain	120cm (47")	5
0928R/150/5	Chain	150cm (59")	5
0928R/180/5	Chain	180cm (70")	5



Chain Operated Kit contents:


- R.B Track incl T/C tape & end caps (23mm x 8mm)
- Face/ceiling fix brackets
- Preloaded Tape housing incl 2.6m white tape
- Assembled movement axis with chain housing including white chain loop (175cm)
- White Aluminium bottom bar (cut to length)
- 7 x 4mm Fibre glass rods cut to length
- Roman blind tape 6m
- Transparent rings
- Screw & plugs
- Instruction leaflet

Austrian/Roman and Festoon - Chain Operated Workroom/Contract Blind Kits. Ideal for light to medium weight applications. Apart from your fabric, everything is included.

Chain Operated Roman Blind

Individual components

1



Metal Chain Loop

Cat No	Description	Size	Drop	Quantity
0968R/200	Metal Chain Loop	200cm	100cm	10
0968R/250	Metal Chain Loop	250cm	125cm	10
0968R/300	Metal Chain Loop	300cm	150cm	10

2



White Chain Loop

Cat No	Description	Size	Drop	Quantity
0965R	White Chain Loop	200cm	100cm	10
0966R	White Chain Loop	250cm	125cm	10


3



Roman Blind Track including T/C tape

Cat No	Description	Size	Quantity
0971R/300	Profile White	300cm	5 Lengths
0971R/600	Profile White	600cm	5 Lengths

4



Face/Ceiling fix brackets

Cat No	Description	Size	Quantity
A. 0973R	Face/Ceiling Bracket White	-	100
B. 0974R	Face/Ceiling Bracket with Lever Lock	4.5cm	40
C. 0975R	Face/Ceiling Bracket	8cm	20

5



Profile End Cap (2 per track)

Cat No	Description	Quantity
0978R	Profile End Cap	100

6



Chain Housing

Cat No	Description	Quantity
0962R	Standard Chain Housing 1:1 (excl.chain. Ideal for weights up to 3kg)	10
0963R	Standard Chain Housing 1:4 (excl.chain. Ideal for weights up to 7kg)	10

7



Tape Housing

Cat No	Description	Quantity
0964R	Tape Housing (inc. 2.6m white tape)	10

8




Movement Axis / Control Rods

Cat No	Description	Size	Quantity
0967R	Movement Axis/Control Rods	5mm x 5m	20



Profile Jointer (Ideal component to maximize usage)

Cat No	Description	Quantity
0980R	Profile Jointer	10




Metal Chain Joiner / Heavy Duty Bottom Clip

Cat No	Description	Quantity
0969R	Metal Chain Joiner for use on 1:1 chain housing (will not pass through 1:4 chain housing)	100
0970R	Heavy Duty Bottom Clip (fully adjustable to finish tapes neatly)	100

Enclosed Roman Blind Kit


An Elegant shaped profile with aesthetic and functional advantages: provides sleek clean lines to window; easy to fit and operate. Easily cut down by hand. Chain housing can be easily changed from right side to left side.



Open headrail system allows adjustment to drops while track is in place. Can be cut down easily, instruction leaflet included. Patented design of conical cord drop guarantees smooth operation.

Cat No	Description	Width	Pre-loaded Drops per Kit	Face/Ceiling Fix Brackets per Kit	Chain Control	Max Weight
0929R/090	Enclosed Kit	90cm	3	2	1:1	3kg
0929R/120	Enclosed Kit	120cm	3	2	1:1	3kg
0929R/150	Enclosed Kit	150cm	4	3	1:4	7kg
0929R/180	Enclosed Kit	180cm	4	4	1:4	7kg
0929R/210	Enclosed Kit	210cm	5	4	1:4	7kg

Max weight is 1:1 geared unit = 3kg Max weight is 1:4 geared unit = 7kg



Enclosed Roman Blind Kit contents:

- Fully assembled enclosed Roman Blind track with end cap and touch & close tape
- Ceiling/face fix brackets
- Control rod with pre-loaded 2.6m cord tape drops
- Chain housing complete with white chain loop (175cm drop)
- 7 x 4mm Fibre rods cut to length
- White Aluminium bottom bar cut to length
- Roman blind tape, transparent blind ring, screws & fixings

Professional Profile

Fully enclosed, neat and compact integrated system. Can be cut down easily.

Professional profile includes:

- Fully assembled enclosed Roman Blind track with end cap and touch & close tape
- Ceiling/face fix brackets
- Control rod with pre-loaded 2.6m cord tape drops
- Chain housing complete with white chain loop (175cm drop)




Cat No	Description	Width	Pre-loaded Drops per Kit	Face/Ceiling Fix Brackets per Kit	Chain Control	Max Weight
0930R/060	Prof. profile	60cm	3	2	1:1	3kg
0930R/090	Prof. profile	90cm	3	2	1:1	3kg
0930R/120	Prof. profile	120cm	3	2	1:1	3kg
0930R/150	Prof. profile	150cm	4	3	1:4	7kg
0930R/180	Prof. profile	180cm	4	4	1:4	7kg
0930R/210	Prof. profile	210cm	5	4	1:4	7kg
0930R/250	Prof. profile	250cm	5	4	1:4	7kg

Enclosed Roman Blind

Individual components

1



Metal Chain Loop

Cat No	Description	Size	Drop	Quantity
0968R/200	Metal Chain Loop	200cm	100cm	10
0968R/250	Metal Chain Loop	250cm	125cm	10
0968R/300	Metal Chain Loop	300cm	150cm	10

2



White Chain Loop

Cat No	Description	Size	Drop	Quantity
0965R	White Chain Loop	200cm	100cm	10
0966R	White Chain Loop	250cm	125cm	10

3



Enclosed Roman Blind Track including T/C tape

Cat No	Description	Size	Quantity
0982R/580	Enclosed Profile	580cm	4

4



Standard Chain Housing 1:1 (excludes chain, ideal for weights up to 3kg)

Cat No	Description	Quantity
0984R	Standard Chain Housing 1:1 incl. end cap	10

4



Geared Chain Housing 1:4 (excludes chain, ideal for weights up to 7kg)

Cat No	Description	Quantity
0985R	Geared Chain Housing 1:4 incl. end cap	10

5



Pre-loaded spools with cord

Cat No	Description	Quantity
0986R	Pre-loaded cord spool incl. 2.6m drop of 1.5mm cord	20

6



Brass Retaining Ring

Cat No	Description	Quantity
0987R	Brass Retaining Ring (1 needed per track)	50

7



Movement Axis / Control Rods

Cat No	Description	Size	Quantity
0967R	Movement Axis/Control Rods	5mm x 5m	20



Face/Ceiling fix brackets

Cat No	Description	Quantity
0983R	Face/Ceiling Enclosed Profile Bracket	50

Anything else you need to make a **Roman Blind . . .**



Roman Blind Rods

Cat No	Description	Size	Quantity
1. 2246R/300	Fibreglass	4mm x 3m	20 lengths x 3m
2. 2275R/300	Translucent	4mm x 3m	20 lengths x 3m



Cord

Cat No	Description	Quantity
0176R	1 mm 100% Polyester	200m spool
3938R	1 mm 100% Polyester beige	200m spool
3939R	1.3mm 100% Polyester beige	200m spool



Cord Weights

Polished Brass Cord Weights

Cat No	Description	Quantity
1. 3500R	43g (1 ¹ / ₂ oz)	1 pair
1. 3546R	43g (1 ¹ / ₂ oz)	10 loose
1. 3504R	43g (1 ¹ / ₂ oz)	10 pack of 1
2. 3501R	85g (3oz)	1 pair
2. 3503R	85g (3oz)	10 loose
2. 3547R	85g (3oz)	10 pack of 1

Cone Cord Weights

Cat No	Description	Quantity
5. 3580R	Polished Brass 25g (9/10 oz)	10 loose
6. 3581R	Matt Brass 25g (9/10 oz)	10 loose
7. 3582R	Chrome 25g (9/10 oz)	10 loose
8. 3583R	Satin Nickel 25g (9/10 oz)	10 loose
9. 3584R	Black 25g (9/10 oz)	10 loose

Chrome Cord Weights

3. 3502R	43g (1 ¹ / ₂ oz)	1 pair
3. 3548R	43g (1 ¹ / ₂ oz)	10 loose
3. 3505R	43g (1 ¹ / ₂ oz)	10 pack of 1
4. 3515R	85g (3oz)	1 pair
4. 3523R	85g (3oz)	10 loose
4. 3521R	85g (3oz)	10 pack of 1


Beehive Cord Weights

10. 3585R	Polished Brass 44g (1 ¹ / ₂ oz)	10 loose
11. 3586R	Burnished Brass 44g (1 ¹ / ₂ oz)	10 loose
12. 3587R	Chrome 44g (1 ¹ / ₂ oz)	10 loose
13. 3588R	Satin Nickel 44g (1 ¹ / ₂ oz)	10 loose
14. 3589R	Polished Nickel 44g (1 ¹ / ₂ oz)	10 loose



Aluminium Bottom Bars / Translucent Bottom Bars

Cat No	Description	Size	Quantity
0979R/300	Aluminium Bottom Bar	300cm	5 Lengths
0979R/600	Aluminium Bottom Bar	600cm	5 Lengths
0972R/300	Translucent Bottom Bar	300cm	5 Lengths



Roman Blind Tapes • Flat appearance • Continuous slotted woven pocket for easy insertion and removal of the rods • Natural colour • Finished to minimise tape shrinkage when washed

Cat No	Description	Size	Quantity
1. 0168R	Slotted Pocket Natural	22mm	100m
2. 0167R	Narrow Slotted Pocket Translucent	17mm	100m
3. 0180R/075	Narrow Slotted Pocket Natural	17mm	75m
4. 0178R	Roman Blind White	22mm	100m
4. 0179R	Roman Blind Natural	22mm	100m



Hollow Brass Rings

Cat No	Size No	Inside Diameter	Outside Diameter	Quantity
1. 3697R	508	9.5mm (3/8")	13mm (1/2")	200
1. 3698R	508	9.5mm (3/8")	13mm (1/2")	1000
2. 3685R	510	11mm (7/16")	16mm (5/8")	200
2. 3701R	510	11mm (7/16")	16mm (5/8")	1000
3. 3699R	512	15.5mm (5/8")	19mm (3/4")	200
3. 3700R	512	15.5mm (5/8")	19mm (3/4")	1000
4. 3687R	514	17mm (11/16")	22mm (7/8")	200
4. 3703R	514	17mm (11/16")	22mm (7/8")	1000



HALLIS HUDSON GROUP LTD
Committed to excellence