



Workroom linings


Quality and value count. Our extensive range of linings have been specially selected to offer you both.



Care:

-  Can be machine washed. Product when despatched will contain specific washing instructions.
-  Can be dry cleaned. Individual fabrics when despatched will contain specific cleaning instructions.

Suitable:

-  Flame retardant, suitable for contract drapes.

Sales Aids:

-  Waterfall hanger available.
-  Pattern book available.
-  Sample available on request.

Solprufe Sateen Linings

Sateen lining is the definitive traditional quality standard for curtain linings. Its smooth appearance and durability ensures that it is always the soft furnisher's first choice.

SOLPRUFE GOLD TEFLON COATED

137cm (54") wide H701



- Teflon finish resists water and oil based stains
- Teflon finish is applied when the lining is dyed so that it is undetectable to touch, smell and sight
- Denser grade sateen fabric (116picks/inch)
- Soft and luxurious handle provides better drapability
- Solprufe Gold dyed producing excellent colourfastness to light
- Quality assured satisfying BS 5867 Part 1
- Increased stability to washing
- Higher crease resilience and improved crease recovery, with less ironing
- High density opaqueness means less light penetration for improved fabric protection



Fabric Content: 100% Cotton
135g / sq. metre
Construction: 72 x 116 30s/30s
Make Up: Rolled full width or creased half width on board
Colour: Ivory / Pearl

SOLPRUFE GOLD

137cm (54") wide H703



- Superior technical performance
- Luxurious appearance, better drapability
- Denser grade sateen fabric (116picks/inch)
- Fuller feel, improved handle
- High density opaqueness, so there is less light penetration for improved fabric protection
- Better colourfastness for washing and exposure to light, increased stability to washing
- Superior dry cleaning properties
- Higher crease resistance and better crease recovery than standard Solprufe linings
- Quality assured satisfying BS5867 Part 1




Fabric Content: 100% Cotton
135g / sq. metre
Construction: 72 x 116 30s/30s
Make Up: Rolled full width or creased half width on board
Colour: Ivory / White / Pearl

SOLPRUFE PLUS

137cm (54") wide H747



- Solprufe is the exacting standard to which this classic quality sateen lining has been dyed
- Excellent colourfastness to light, exceeding BS 5867 Part 1
- Better crease recovery, less ironing
- Fuller handle for a better feel
- Schreiner finish to enhance the lustre



Fabric Content: 100% Cotton
125g / sq. metre
Construction: 72 x 96 30s/30s
Make Up: Rolled full width or creased half width on board
Colour: Ivory / Pearl


Solprufe Sateen / Sateen Linings

SOLPRUFE

137cm (54") wide H712



- Solprufe is the exacting standard to which this classic quality sateen lining has been dyed
- Excellent colourfastness to light, exceeding BS 5867 Part 1
- Good crease recovery
- Schreiner finish to enhance the lustre




Fabric Content: 100% Cotton
125g / sq. metre
Construction: 72 x 96 30s/30s
Make Up: Rolled full width or creased half width on board
Colour: Ivory / Pearl / Ecru / White

CREASE RESIST SATEEN

137cm (54") wide H725



- Dyed 'fast to light' (DFL) for good colour fastness
- Crease Resist Finish
- Luxurious soft handle
- Excellent draping




Fabric Content: 100% Cotton
125g / sq. metre
Construction: 72 x 96 30s/30s
Make Up: Rolled full width or creased half width on board
Colour: Ivory / Pearl

SATEEN

137cm (54") wide H722



- Dyed 'fast to light' (DFL) for good colour fastness
- Firmer handle
- Schreiner finish to enhance the lustre



Fabric Content: 100% Cotton
125g / sq. metre
Construction: 72 x 96 30s/30s
Make Up: Rolled full width or creased half width on board
Colour: Ivory / Pearl

Coloured Cotton Sateen Lining

BERMUDA

137cm (54") wide BERMUDA/Col Ref

new



Rolls



Specification: Schreiner finish for enhanced lustre
Colours: 40
Make Up: Rolled full width (25m)

Fabric Content: 100% Cotton Sateen
125g / sq. metre
Construction: 72 x 96 30s/30s

Polyester Cotton Linings

POLYESTER COTTON PLAIN

137cm (54") wide H634 | 275cm (108") wide H630 | 173cm (68") wide H631 | 239cm (94") wide H632



- Low residual shrinkage
- Quick drying
- Good crease recovery
- Minimum ironing

Rolls



Fabric Content: 50% Polyester / 50% Cotton
110g / sq. metre
Construction: 60 x 60 21s/21s
Colour: Light Ivory

Make Up: H634 – Rolled full width or folded half width on board (100m)
H630 – Folded half width on tube (50m)
H631 – Rolled full width (50m)
H632 – Folded half width on tube (50m)

Polyester Cotton Linings

POLYESTER COTTON TWILL

137cm (54") wide H621 | 275cm (108") wide H622



- More body than other polyester cotton linings
- Higher polyester content offers better crease recovery when making up
- Low residual shrinkage
- Quick drying
- Minimum ironing

Rolls



Fabric Content: 70% Polyester / 30% Cotton
125g / sq. metre
Construction: 90 x 62 24/150 den

Make Up: H621 – Rolled full width (100m)
H622 – Folded half width on tube (50m)
Colour: Light Ivory

Interlinings

Interlining is used to improve the drape of curtains, producing a more luxurious appearance. In addition, pinch pleats and pencil pleats are given more prominence, and the density of interlinings increases the thermal and sound insulation properties of curtains.

PRE-SHRUNK BUMP INTERLINING

137cm (54") wide H141



new

Rolls



Specification: Low residual shrinkage
Pre-shrunk finish heavy weight interlining
Excellent sound and thermal insulation properties
Colour: Natural

Fabric Content: 100% Cotton
400g / sq. metre
Make Up: Rolled full width

NATURAL COTTON BUMP

137cm (54") wide H140



Rolls



Specification: Heavy weight interlining
For use with heavy weight furnishing fabrics
Excellent sound and thermal insulation properties
Colour: Natural

Fabric Content: 80% Cotton / 20% Mixed Synthetic Fibres
400g / sq. metre
Make Up: Rolled full width

SYNTHETIC DOMETT

137cm (54") wide H130



Specification: Light weight interlining
For use with light weight furnishing fabrics
Economical
Colour: White

Fabric Content: Polyester / Viscose
180g / sq. metre
Make Up: Rolled full width

SYNTHETIC DOMETT

137cm (54") wide H129



Specification: Medium weight interlining
For use with medium weight furnishing fabrics
Economical
Colour: White

Fabric Content: Polyester / Viscose
220g / sq. metre
Make Up: Rolled full width

ARATEX NON-WOVEN BUMP

137cm (54") wide H132



Specification: Medium weight interlining but very full thickness
For use with medium and heavy weight curtains
Good sound and thermal insulation properties
Colour: Natural

Fabric Content: 75% Cotton / 25% Viscose
285g / sq. metre
Make Up: Rolled full width

WHITE NON-WOVEN BUMP

137cm (54") wide H131



Specification: Medium weight interlining but very full thickness
For use with medium and heavy weight curtains
Good sound and thermal insulation properties
Colour: White

Fabric Content: Polyester / Viscose
285g / sq. metre
Make Up: Rolled full width

SUPERSOFT COTTON DOMETT

140cm (55") wide H123



new



Specification: Medium weight interlining ideal for light weight fabrics
Soft raised finish
Soft handle
Colour: Natural

Fabric Content: 100% Cotton
270g / sq. metre
Make Up: Rolled full width

PRE-SHRUNK NATURAL COTTON DOMETT

137cm (54") wide H121



Specification: Low residual shrinkage. Sound and thermal insulation properties
Medium weight interlining, most popular for use with light and medium weight furnishing fabrics
Colour: Natural

Fabric Content: 100% Cotton
270g / sq. metre
Make Up: Rolled full width

COTTON DOMETT (Natural & White)

137cm (54") wide NATURAL H120 WHITE H122



Specification: Medium weight interlining
Most popular for use with light and medium weight furnishing fabrics
Sound and thermal insulation properties
Colour: Natural (H120) White (H122)

Fabric Content: 100% Cotton
Natural (H120): 270g / sq. metre
White (H122): 250g / sq. metre
Make Up: Rolled full width

SUPERSOFT COTTON DOMETT

137cm (54") wide H128



Specification: Light weight interlining ideal for light weight fabrics
Soft handle
Clean appearance
Colour: Natural

Fabric Content: 100% Cotton
200g / sq. metre
Make Up: Rolled full width

Bonded Interlinings

Improving the drape of curtains.

SUPERLINER



ROLLS



Specification: Lining bonded to Polyester wadding
Can be machine stitched thus reducing making-up time
Improves drape of lined curtains
Can be used for bedspreads
Increased prominence for headings
Thermal and sound insulation properties

137cm (54") wide **H150** Cotton Sateen
Colour: Ivory Fabric
Fabric Content: 100% Cotton Sateen fabric bonded to Polyester wadding
195g / sq. metre
Construction: 72 x 96 30s / 30s
Make Up: Rolled full width

137cm (54") wide **H151** Polyester / Cotton Plain
Colour: Light Ivory Fabric
Fabric Content: Polyester / Cotton Plaid fabric bonded to Polyester wadding
180g / sq. metre
Construction: 60 x 60 21/21
Make Up: Rolled full width

FLEECELINER



ROLLS



Specification: Non-woven fleece Interlining
Bonded to lining face fabric
Can be machine stitched thus reducing making-up time
Improves drape of lined curtains
Can be used for bedspreads
Increased prominence for headings
Thermal and sound insulation properties

137cm (54") wide **H152** Cotton Sateen
Colour: Ivory Fabric
Fabric Content: 100% Cotton Sateen fabric bonded to Fleece Interlining
255g / sq. metre
Composition: 50% Cotton 50% Polyester
Make Up: Rolled full width

137cm (54") wide **H153** Polyester / Cotton Twill
Colour: Light Ivory Fabric
Fabric Content: Polyester / Cotton Twill bonded to Fleece Interlining
255g / sq. metre
Composition: 85% Polyester 15% Cotton
Make Up: Rolled full width

137cm (54") wide **H154** Blackout
Colour: Light Ivory Fabric
Fabric Content: Blackout lining bonded to Fleece Interlining
380g / sq. metre
Composition: 80% Polyester 20% Cotton
Make Up: Rolled full width

Thermal and Blackout Linings


These coated linings are performance fabrics produced to increase the thermal insulation properties of curtains, thus conserving energy and reducing fuel costs, and provide a blackout measure, for example for children's or night workers' bedrooms.

3 PASS BLACKOUT

137cm (54") wide **H673**



ROLLS



Specification: 3 Coat Blackout Fabric
Colour: White Coating / White Fabric
Ivory Coating / Ivory Fabric


Fabric Content: 50% Polyester / 50% Cotton
with fully durable acrylic latex foam coating
Make Up: Rolled full width

ULTRASOFT 3 PASS BLACKOUT LINING

137cm (54") wide **H674**



ROLLS



Specification: 3 Coat Blackout Fabric
Colour: White Coating / White Fabric
Ivory Coating / Ivory Fabric

Fabric Content: 50% Polyester / 50% Cotton
with fully durable acrylic latex foam coating
Make Up: Rolled full width


'3 Pass Blackout' has three separate coatings, or 'passes', applied to the base cloth. This produces a luxurious blackout fabric, finished on both sides, suitable for use on a separate track as a stand alone curtain if desired. Unsurpassed for total light control and noise suppression, 3 Pass Blackout can also be used as sewn-in lining since either side can face the window glass. A further benefit of this lining is even greater energy efficiency, due to the extra bulk of the additional layer of aero cellular acrylic foam.

THERMAL

137cm (54") wide **H662**



ROLLS



Specification: Fabric with coating to one side
Dim out and thermal insulation properties
Colour: Ivory Coating / Lt Ivory Fabric


Fabric Content: 70% Polyester / 30% Cotton
with fully durable acrylic latex foam coating
Make Up: Rolled full width

Flame Retardant Sateen Linings

Flame retardant (FR) linings enjoy all the benefits of sateen linings with the added safety feature of either non-durable or permanent FR treatment. They conform to BS 5867 Part 2, making them suitable for contract use.

'DRYFLAM' NON-DURABLE FR COTTON SATEEN

137cm (54") wide **H618**



Specification: Sateen lining with non-durable FR treatment, ideal for curtains which will only be dry cleaned. Conforms to BS 5867 part 2 (before wetting) Solprufe dyed. Provides excellent colourfastness for exposure to light and after cleaning (BS 5867 part 1). Less expensive than Permaflam for use when curtains will only be dry cleaned.

Colour: Ivory
Fabric Content: 100% Cotton
 125g / sq. metre
Construction: 72 x 96 30s / 30s
Make Up: Rolled full width

'PERMAFLAM' DURABLE FR COTTON SATEEN

137cm (54") wide **H602**



Specification: Sateen lining with fully durable FR treatment, ideal for articles which can be washed. Conforms to BS 5867 part 2 - B Solprufe dyed. Provides excellent colourfastness for exposure to light and after cleaning (BS 5867 part 1).

Colour: Ivory
Fabric Content: 100% Cotton
 125g / sq. metre
Construction: 72 x 96 30s / 30s
Make Up: Rolled full width

Flame Retardant Blackout Linings

Flame retardant (FR) linings are specified for hotels, nursing homes etc. They are fully durable and conform to BS5867 Pt 2. They also have identical features to the domestic blackout styles.

3 PASS FR BLACKOUT

137cm (54") wide **H670**



'3 Pass Blackout' has three separate coatings, or 'passes', applied to the base cloth. This produces a luxurious blackout fabric, finished on both sides, suitable for use on a separate track as a stand alone curtain if desired. Unsurpassed for total light control and noise suppression, 3 Pass Blackout can also be used as sewn-in lining since either side can face the window glass. A further benefit of this lining is even greater energy efficiency, due to the extra bulk of the additional layer of aero cellular acrylic foam.



Specification: Fully durable FR lining conforms to BS 5867 Part 2
 3 Pass coated treatment produces an article with two acceptable faces - ideal for separate linings
 Total light control
 Increased thermal and sound insulation properties

Fabric Content: 70% Polyester / 30% Cotton
 with fully durable acrylic latex foam coating
Make Up: Rolled full width

Colour: Ivory Coating / Ivory Fabric
 White Coating / White Fabric

Flame Retardant Interlinings

Flame retardant (FR) interlinings enjoy all the benefits of standard interlinings with the additional safety feature of either non-durable or durable FR treatment. They are suitable for contract use, conforming to BS 5867 part 2.

NON-DURABLE FR INTERLINING

137cm (54") wide **H124**



Specification: Ideal for all curtains which must only be dry cleaned
 Conforms to BS 5867 part 2 (before wetting)
Colour: Natural

Fabric Content: 100% Cotton
 270g / sq. metre
Make Up: Rolled full width

DURABLE FR INTERLINING

137cm (54") wide **H133**



Specification: Ideal for articles which may require washing
 Conforms to BS 5867 part 2 - type B
Colour: White

Fabric Content: 100% FR Polyester
 180g / sq. metre
Make Up: Rolled full width

Flame Retardant Upholstery Interliner

SCHEDULE 3 BARRIER CLOTH-CALICO

137cm (54") wide **H125**



Specification: Conforms to BS 5867 parts 1 and 2 Type B (durable) and
 Crib source 5
Colour: Natural

Fabric Content: 100% Cotton
 220g / sq. metre
Construction: 48 x 44 10s / 10s
Make Up: Rolled full width