METROPOLE CURTAIN POLES



03/2022/V1

SilentGliss

GENERAL NOTES

Dimensions

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories.*
- *Stack size depends on curtain make-up and fabric thickness.*
- *Distance between gliders max. 80 mm / distance between rollers max. 100 mm.*
- *Recommended distance floor / fabric: 20 mm.*
- *In order to determine system height (B), the smallest room height must be taken into account.*

Fitting

- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Profile lip if applicable to be installed to room side.*

Child Safety

- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*

APPLICATION CHART

PAGE	SYSTEM	OPERATION	DIMENSION	DESIGN	WAVE	← max. →	kg max.
5	**SG 7600**		S				
15	**SG 7605**		S - M				
25	**SG 7610**		S - M				
35	**SG 7620**		M - L				
45	**SG 7630**		S - M			6 m	13 kg
57	**SG 7640**		M - L			6 m	13 kg
69	**SG 7650**		S - L			6 m	45 kg

SG 7600



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting****: ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 11606

Profile

Radius:
15 cm, 20 cm, >25 cm

B. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements

	23 mm	
	X	Y
SG 11602	2	23
SG 11621	8	27
SG 11622	14	38
SG 11723	53	23
SG 11724	55	40
SG 11726	49	46
SG 11727	89	37
SG 11728	20	69
SG 11729	18	46

C. SPECIFICATION TEXT

Silent Gliss SG 7600 'Metropole' hand operated curtain track system. *Comprises 23 mm round aluminium profile SG 11606 supplied made to measure with gliders SG 11300 at 16/m, 2no. end stops SG 6065 and 2 no. flush end covers SG 11602. Straight poles supplied as standard with wall 'face' fix Smart Fix brackets SG 11206 at max. 600 mm centres. Optional wall fix brackets SG 11207-11208 / SG 11216-11218 / SG 11209 / SG 11472 / Fillet bracket SG 11669. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with plate SG 6151 / bracket SG 6175 / SG 11668 at max. 600 mm centres. Finished in White, Matt White, Ecru, Silver Anodised, Gunmetal, Charcoal and Chrome Effect. A range of decorative finials are available. Silent Gliss Wave option is available using 60mm glider cord SG 11303 / 80 mm glider cord SG 11302 / 80 mm roller glider cord SG 6099.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Support SG 6151





SG 6151

Ceiling support set 3 mm

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 6783 (M4x10) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*51*
SG 11207 / SG 11217	*71*
SG 11208 / SG 11218	*91*
SG 11209 / SG 11472	*80-100*



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 6783 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.

Note: all bent Metropole systems are supplied with adjustable bracket SG 11209 as standard.



Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.



SG 6141

Clamping piece

SG 6783

Hexagon socket countersunk screw M4x10 mm

SG 6784

Hexagon socket countersunk screw M4x8 mm



SG 11206

Smart Fix with slot 60 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11209

Adjustable Smart Fix



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11472

Adjustable Square Smart Fix

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.
Recommended for straight systems only.



SG 6141

Clamping piece

SG 6784

Hexagon socket countersunk screw M4x8 mm



SG 11669

Fillet bracket

Maxi adjustable bracket SG 20334



Screw SG 6783 (M4x10) needed.



SG 6141

Clamping piece

SG 6783

Hexagon socket countersunk screw M4x10 mm



SG 20334

Maxi adjustable bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11602

SG 11621

SG 11622

Endcaps:

- *SG 11602 Flush endcap 23 mm*
- *SG 11621 Stud endcap 23 mm*
- *SG 11622 Design endcap 23 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11602 (left).*
- *Alternatively, stud endcaps SG 11621 can be selected at no additional cost.*

B. FINIALS



SG 11723



SG 11724

SG 11726



SG 11727

SG 11728

SG 11729

Finials are decorative elements that fit on at the end of the pole:

- *SG 11723 Groove cylinder 23 mm*
- *SG 11724 Glass ball 23 mm*
- *SG 11726 Ball end 23 mm*
- *SG 11727 Spear 23 mm*
- *SG 11728 Ellipse 23 mm*
- *SG 11729 Taper 23 mm*

C. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6099 SG 6364

SG 6365 SG 6366 SG 10430-34 SG 11303

Optional components (min. Radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6099 Wave roller cord 80 mm*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363

SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6141
Clamping piece



SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 11206
Smart Fix with slot 60 mm

SG 11300
2C glider

SG 11602
Flush end cap 23 mm

SG 11606
Profile

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook



SG 6151
Ceiling support set 3 mm



SG 6173
Connection bridge



SG 6175
Mini hanger

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm

SG 10434
Draw rod 150 cm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11295
End stop

SG 11301
2C glider on strip



SG 11302
Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11472

Adjustable Square Smart Fix

SG 11621

Stud end cap 23 mm



SG 11622

Design end cap 23 mm



SG 11668

Top fix bracket



SG 11669

Fillet bracket



SG 11723

Groove cylinder 23 mm



SG 11724

Glass ball 23 mm



SG 11726

Ball end 23 mm



SG 11727

Spear 23 mm



SG 11728

Ellipse 23 mm



SG 11729

Taper 23 mm

SG 20334

Maxi adjustable bracket

SG 7605



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6101

Profile

Radius:
20 cm, >25 cm

B. HOW TO MEASURE



A: System width without endcaps
B: System height
C: Distance between floor and fabric
X: Endcap width
Y: Endcap height

Endcap Measurements

		36 mm	
		X	Y
	SG 11601	2	36
	SG 11611	5	40

C. SPECIFICATION TEXT

Silent Gliss SG 7605 'Metropole' hand operated curtain track system. *Comprises 36mm h x 14 mm d aluminium profile SG 6100 supplied made to measure with 2C gliders SG 11300 at 14/m ,2 end flush covers SG 11601 and 2 no. end stops SG 6065. Straight poles supplied as standard with wall 'face' fix Smart Fix brackets SG 11206 at max. 600 mm centres. Optional wall fix brackets SG 11207-11208 / SG 11216-11218 / SG 11209 / SG 11472 / Fillet bracket SG 11669. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with plate SG 6151 / bracket SG 6175 / SG 11668 at max. 600 mm centres. Finished in Antique Bronze, Gunmetal, Black, Charcoal, Anodic Grey, Slate Grey, Matt White, White, Chrome Effect or Silver Anodised. A range of decorative finials are available. Silent Gliss Wave option is available using 60mm glider cord SG 11303/80 mm glider cord SG 11302 / 80 mm roller glider cord SG 6099.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Support SG 6151





SG 6151

Ceiling support set 3 mm

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175
Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 6783 (M4x10) needed.



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 6783 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.

Note: all bent Metropole systems are supplied with adjustable bracket SG 11209 as standard.

Smart Fix	*X mm*
SG 11206 / SG 11216	*51*
SG 11207 / SG 11217	*71*
SG 11208 / SG 11218	*91*
SG 11209 / SG 11472	*80-100*



Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11472
Adjustable Square Smart Fix

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.
Recommended for straight systems only.



SG 6141
Clamping piece

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11669
Fillet bracket

Maxi adjustable bracket SG 20334



Screw SG 6783 (M4x10) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 20334
Maxi adjustable bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11601

SG 11611

Please note:

- *Poles are supplied as standard with flush fitting endcaps SG 11601 (left).*
- *Alternatively, stud endcaps SG 11611 (right) can be selected at no additional cost.*

B. WAVE



SG 11295



SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



Optional components (min. Radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6099 Wave roller cord 80 mm*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop

SG 6101
Profile



SG 6141
Clamping piece



SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 11206
Smart Fix with slot 60 mm

SG 11300
2C glider



SG 11601
Flush end cap 36 mm

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook



SG 6099
Wave roller cord 80 mm



SG 6112
Connection bridge



SG 6151
Ceiling support set 3 mm



SG 6152
Ceiling support set 9 mm



SG 6175
Mini hanger

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 6784
Hexagon socket countersunk screw M4x8 mm

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11472

Adjustable Square Smart Fix



SG 11611

Stud end cap 36 mm



SG 11668

Top fix bracket



SG 11669

Fillet bracket

SG 20334

Maxi adjustable bracket

SG 7610



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6103

Profile

Radius:
>25 cm

B. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements

	30 mm	
	X	Y
SG 11603	2	30
SG 11631	10	34
SG 11632	18	50
SG 11743	69	30
SG 11744	66	50
SG 11746	64	60
SG 11747	116	48
SG 11748	26	90
SG 11749	20	60

C. SPECIFICATION TEXT

Silent Gliss SG 7610 'Metropole' hand operated curtain track system. *Comprises 30 mm aluminium profile SG 6103 supplied made to measure with 2C gliders SG 11300 at 14/m, 2 no. flush end covers SG 11603 and 2 no. end stops SG 6065 Straight poles supplied as standard with wall 'face' fix Smart Fix brackets SG 11206 at max. 600 mm centres. Optional wall fix brackets SG 11207-11208 / SG 11216-11218 / SG 11209 / SG 11472 / Fillet bracket SG 11669. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with plate SG 6151 / bracket SG 6175 / SG 11668 at max. 600 mm centres. Finished in Ecru, Bronze, Antique Bronze, Gunmetal, Black, Charcoal, Anodic Grey, Slate Grey, Matt White, White, Sand, Ochre, Chrome Effect, Anodised Silver or Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using 60mm glider cord SG 11303 / 80 mm glider cord SG 11302 / 80 mm roller glider cord SG 6099.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Support SG 6151





SG 6151

Ceiling support set 3 mm

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 6783 (M4x10) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*51*
SG 11207 / SG 11217	*71*
SG 11208 / SG 11218	*91*
SG 11209 / SG 11472	*80-100*



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 6783 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.

Note: all bent Metropole systems are supplied with adjustable bracket SG 11209 as standard.



Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.



SG 6141

Clamping piece

SG 6783

Hexagon socket countersunk screw M4x10 mm

SG 6784

Hexagon socket countersunk screw M4x8 mm



SG 11206

Smart Fix with slot 60 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11209

Adjustable Smart Fix



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11472

Adjustable Square Smart Fix

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.
Recommended for straight systems only.



SG 6141

Clamping piece

SG 6784

Hexagon socket countersunk screw M4x8 mm



SG 11669

Fillet bracket

Maxi adjustable bracket SG 20334



Screw SG 6783 (M4x10) needed.



SG 6141

Clamping piece

SG 6783

Hexagon socket countersunk screw M4x10 mm



SG 20334

Maxi adjustable bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11603

SG 11631

SG 11632

Endcaps:

- *SG 11603 Flush endcap 30 mm*
- *SG 11631 Stud endcap 30 mm*
- *SG 11632 Design endcap 30 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11603 (left).*
- *Alternatively, stud endcaps SG 11631 can be selected at no additional cost.*

B. FINIALS



SG 11743



SG 11744

SG 11746



SG 11747

SG 11748

SG 11749

Finials are decorative elements that fit on at the end of the pole:

- *SG 11743 Groove cylinder 30 mm*
- *SG 11744 Glass ball 30 mm*
- *SG 11746 Ball end 30 mm*
- *SG 11747 Spear 30 mm*
- *SG 11748 Ellipse 30 mm*
- *SG 11749 Taper 30 mm*

C. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6099 SG 6364

SG 6365 SG 6366 SG 10430-34 SG 11303

Optional components:

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6099 Wave roller cord 80 mm*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363

SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

	SG 6065 *End stop*
	SG 6103 *Profile*
	**SG 6141** *Clamping piece*
	**SG 6783** *Hexagon socket countersunk screw M4x10 mm*
	**SG 11206** *Smart Fix with slot 60 mm*
	**SG 11300** *2C glider*
	**SG 11603** *Flush end cap 30 mm*

B. OPTIONAL PARTS

	**SG 2255** *Brake*
	**SG 2256** *Brake*
	SG 3582 *Hook*
	**SG 6099** *Wave roller cord 80 mm*
	**SG 6151** *Ceiling support set 3 mm*
	**SG 6175** *Mini hanger*
	SG 6283 *Roller*
	SG 6349 *Wave curtain tape*
	SG 6363 *Wave top hemming tape*
	**SG 6364** *Wave extension*
	**SG 6365** *Wave hanger*
	**SG 6366** *Wave carrier for draw rod*
	**SG 6635** *Connection bridge set*
	**SG 6784** *Hexagon socket countersunk screw M4x8 mm*
	**SG 10075** *Lead weight 50 g/m*
	**SG 10076** *Fabric weight*
	**SG 10430** *Draw rod 50 cm*
	**SG 10431** *Draw rod 75 cm*
	**SG 10432** *Draw rod 100 cm*
	**SG 10433** *Draw rod 125 cm*
	**SG 10434** *Draw rod 150 cm*
	**SG 11207** *Smart Fix with slot 80 mm*
	**SG 11208** *Smart Fix with slot 100 mm*
	**SG 11209** *Adjustable Smart Fix*
	**SG 11216** *Square Smart Fix with slot 60 mm*
	**SG 11217** *Square Smart Fix with slot 80 mm*
	**SG 11218** *Square Smart Fix with slot 100 mm*
	**SG 11295** *End stop*

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11472

Adjustable Square Smart Fix

SG 11631

Stud end cap 30 mm



SG 11632

Design end cap 30 mm

SG 11668

Top fix bracket



SG 11669

Fillet bracket



SG 11743

Groove cylinder 30 mm



SG 11744

Glass ball 30 mm



SG 11746

Ball end 30 mm



SG 11747

Spear 30 mm



SG 11748

Ellipse 30 mm



SG 11749

Taper 30 mm

SG 20334

Maxi adjustable bracket

SG 7620



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 11609

Profile

Radius:
>50 cm

B. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements

	50 mm	
	X	Y
SG 11605	2	51
SG 11651	10	56
SG 11652	24	75
SG 11773	115	51
SG 11774	83	70
SG 11776	90	85
SG 11777	165	70
SG 11778	32	130
SG 11779	30	100

C. SPECIFICATION TEXT

Silent Gliss SG 7620 'Metropole' hand operated curtain track system. *Comprises 50 mm aluminium profile SG 11607 supplied made to measure with 2C gliders SG 11300 at 14/m, 2 no. end covers SG 11605 and 2 no. end stops SG 6065. Supplied as standard with wall 'face' fix Fillet brackets SG 11669 at max. 600 mm centres. Optional wall fix brackets SG 11206-11208 / SG 11216-11218 / SG 11209 / SG 11472 / Fillet bracket SG 11669. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with plate SG 6151 / bracket SG 6175 / SG 11668 at max. 600 mm centres. Finished in Black, White, Matt White, Ecru, Slate Grey, Bronze, Antique Bronze, Silver Anodised, Anodic Grey and Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using 60 mm glider cord SG 11303 / 80 mm glider cord SG 11302 / 80 mm roller glider cord SG 6099.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Support SG 6152





SG 6152

Ceiling support set 9 mm

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 6783 (M4x10) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*51*
SG 11207 / SG 11217	*71*
SG 11208 / SG 11218	*91*
SG 11209 / SG 11472	*80-100*



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 6783 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.



Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.



SG 6141

Clamping piece

SG 6783

Hexagon socket countersunk screw M4x10 mm

SG 6784

Hexagon socket countersunk screw M4x8 mm



SG 11206

Smart Fix with slot 60 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11209

Adjustable Smart Fix



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11472

Adjustable Square Smart Fix

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.
Recommended for straight systems only.



SG 6141

Clamping piece

SG 6784

Hexagon socket countersunk screw M4x8 mm



SG 11669

Fillet bracket

Maxi adjustable bracket SG 20334



Screw SG 6783 (M4x10) needed.



SG 6141

Clamping piece

SG 6783

Hexagon socket countersunk screw M4x10 mm



SG 20334

Maxi adjustable bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11605

SG 11651

SG 11652

Endcaps:

- *SG 11605 Flush endcap 50 mm*
- *SG 11651 Stud endcap 50 mm*
- *SG 11652 Design endcap 50 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11605 (left).*
- *Alternatively, stud endcaps SG 11651 can be selected at no additional cost.*

B. FINIALS



SG 11773

SG 11774

SG 11776



SG 11777

SG 11778

SG 11779

Finials are decorative elements that fit on at the end of the pole:

- *SG 11773 Groove cylinder 50 mm*
- *SG 11774 Glass ball 50 mm*
- *SG 11776 Ball end 50 mm*
- *SG 11777 Spear 50 mm*
- *SG 11778 Ellipse 50 mm*
- *SG 11779 Taper 50 mm*

C. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6099 SG 6364

SG 6365 SG 6366 SG 10430-34 SG 11303

Optional components:

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6099 Wave roller cord 80 mm*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363

SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6141
Clamping piece



SG 6783
Hexagon socket countersunk screw M4x10 mm

SG 11300
2C glider

SG 11605
Flush end cap 50 mm



SG 11609
Profile

SG 20334
Maxi adjustable bracket

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook



SG 6099
Wave roller cord 80 mm



SG 6152
Ceiling support set 9 mm



SG 6175
Mini hanger

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11295
End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11472

Adjustable Square Smart Fix

SG 11651

Stud end cap 50 mm

SG 11652

Design end cap 50 mm

SG 11668

Top fix bracket



SG 11669

Fillet bracket



SG 11773

Groove cylinder 50 mm



SG 11774

Glass ball 50 mm



SG 11776

Ball end 50 mm

SG 11777

Spear 50 mm

SG 11778

Ellipse 50 mm



SG 11779

Taper 50 mm



SG 11783

Connection bridge

SG 7630



PRODUCT INFORMATION

- ***Operation:*** *cord*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

← max. →

6 m

kg max.

13 kg

Max. curtain weights

Standard Application with Glider

	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7
	10	10	9	9	8	8
	7	7	6	6	5	5
	8	8	7	7	6	6
	4	4	3	3	2	2
	5	5	4	4	3	3
	3	3	2	2	1	1
	4	4	3	3	2	2

(kg max.)

Standard Application with Roller/ Wave Roller

	1 m	2 m	3 m	4 m	5 m	6 m
	12	11	11	11	10	10
	13	13	12	11	11	10
	9	8	8	8	7	7
	10	9	9	9	8	8
	6	5	5	5	4	4
	7	6	6	6	5	5
	5	4	4	4	3	3
	6	5	5	5	4	4

(kg max.)

B. PROFILE

Profile and bending information



SG 6106

Profile

Radius:
>30 cm

C. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
D: Cord height
E: Safety Retainer SG 10731 min. 150 cm above floor
X: Finial width
Y: Finial height

Finial Measurements

	30 mm	
	X	Y
SG 11603	2	30
SG 11631	10	34
SG 11632	18	50
SG 11733	69	30
SG 11734	66	50
SG 11736	64	60
SG 11737	116	48
SG 11738	26	90
SG 11739	20	60

D. SPECIFICATION TEXT

Silent Gliss SG 7630 'Metropole' cord operated curtain track system. *Comprises 30 mm aluminium profile SG 6106 supplied made to measure with 2C gliders SG 11300 at 14/m , 2 end covers SG 11603, cord guide/return set SG 11661, overlap SG 6063 and cord SG 3091. Straight poles supplied as standard with wall 'face' fix Smart Fix brackets SG 11206 at max. 600 mm centres. Optional wall fix brackets SG 11207-11208 / SG 11216-11218 / SG 11209 / SG 11472 / Fillet bracket SG 11669. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with plate SG 6151 / bracket SG 6175 / SG 11668 at max. 600 mm centres. Finished in Ecru, Bronze, Antique Bronze, Gunmetal, Black, Charcoal, Anodic Grey, Slate Grey, Matt White, White, Sand, Ochre, Chrome Effect, or Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using 60 mm glider cord 11303 / 80mm glider cord 11302 / 80 mm roller glider cord SG 6099. Compliant to Child Safety legislation EN 13120.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Support SG 6151





SG 6151

Ceiling support set 3 mm

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 6783 (M4x10) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*51*
SG 11207 / SG 11217	*71*
SG 11208 / SG 11218	*91*
SG 11209 / SG 11472	*80-100*



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 6783 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.

Note: all bent Metropole systems are supplied with adjustable bracket SG 11209 as standard.



Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11472
Adjustable Square Smart Fix

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.
Recommended for straight systems only.



SG 6141
Clamping piece

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11669
Fillet bracket

Maxi adjustable bracket SG 20334



Screw SG 6783 (M4x10) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 20334
Maxi adjustable bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11603

SG 11631

SG 11632

Endcaps:

- *SG 11603 Flush endcap 30 mm*
- *SG 11631 Stud endcap 30 mm*
- *SG 11632 Design endcap 30 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11603 (left).*
- *Alternatively, stud endcaps SG 11631 can be selected at no additional cost.*

B. FINIALS



Finials are decorative elements that fit on at the end of the pole:

- *SG 11733 Groove cylinder 30 mm*
- *SG 11734 Glass ball 30 mm*
- *SG 11736 Ball end 30 mm*
- *SG 11737 Spear 30 mm*
- *SG 11738 Ellipse 30 mm*
- *SG 11739 Taper 30 mm*

C. WAVE





Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



Optional component:

- *SG 6099 Wave roller cord 80 mm*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 11303 Wave 2C glider Cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 175 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 3091
Cord ø 3.5 mm



SG 6063
Overlap arm

SG 6065
End stop

SG 6106
Profile



SG 6141
Clamping piece



SG 6173
Connection bridge



SG 6354
Pilot runner



SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 10731
Child safety retainer set



SG 11206
Smart Fix with slot 60 mm



SG 11300
2C glider

SG 11603
Flush end cap 30 mm



SG 11661
Cord guide 30 mm



SG 11703
Cover

SG 11704
Cover

B. OPTIONAL PARTS

SG 3582
Hook



SG 6099
Wave roller cord 80 mm



SG 6151
Ceiling support set 3 mm



SG 6175
Mini hanger

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6784
Hexagon socket countersunk screw M4x8 mm

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209

Adjustable Smart Fix



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11472

Adjustable Square Smart Fix



SG 11631

Stud end cap 30 mm



SG 11632

Design end cap 30 mm



SG 11663

Intermediate guide 30 mm



SG 11668

Top fix bracket



SG 11669

Fillet bracket



SG 11716

Wave single stack return pulley 30 mm



SG 11733

Groove cylinder 30 mm



SG 11734

Glass ball 30 mm



SG 11736

Ball end 30 mm



SG 11737

Spear 30 mm



SG 11738

Ellipse 30 mm



SG 11739

Taper 30 mm

SG 20334

Maxi adjustable bracket

SG 7640



PRODUCT INFORMATION

- ***Operation:*** *cord*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

← max. →

6 m

kg max.

13 kg

Max. curtain weights

Standard Application with Glider

	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7
	10	10	9	9	8	8
	7	7	6	6	5	5
	8	8	7	7	6	6
	4	4	3	3	2	2
	5	5	4	4	3	3
	3	3	2	2	1	1
	4	4	3	3	2	2

(kg max.)

Standard Application with Roller/ Wave Roller

	1 m	2 m	3 m	4 m	5 m	6 m
	12	11	11	11	10	10
	13	13	12	11	11	10
	9	8	8	8	7	7
	10	9	9	9	8	8
	6	5	5	5	4	4
	7	6	6	6	5	5
	5	4	4	4	3	3
	6	5	5	5	4	4

(kg max.)

B. PROFILE

Profile and bending informationn



SG 11607

Profile

Radius:
>68 cm

C. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
D: Cord height
E: Safety Retainer SG 10731 min. 150 cm above floor
X: Finial width
Y: Finial height

Finial Measurements

	50 mm	
	X	Y
SG 11605	2	51
SG 11651	10	56
SG 11652	24	75
SG 11753	115	51
SG 11754	83	70
SG 11756	90	85
SG 11757	165	70
SG 11758	32	130
SG 11759	30	100

D. SPECIFICATION TEXT

Silent Gliss SG 7640 'Metropole' cord operated curtain track system. *Comprises 50 mm aluminium profile SG 11607 supplied made to measure with 2C gliders SG 11300 at 14/m, 2 no. flush end covers SG 11605, cording set SG 20347, overlap SG 6063 and cord SG 3091. Supplied as standard with wall 'face' fix Fillet brackets SG 11669 at max. 600 mm centres. Optional wall fix brackets SG 11206-11208 / SG 11216-11218 / SG 11209 / SG 11472 / Fillet bracket SG 11669. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with plate SG 6151 / bracket SG 6175 / SG 11668 at max. 600 mm centres. Finished in Black, White, Matt White, Ecru, Slate Grey, Bronze, Antique Bronze, Anodic Grey and Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using 60 mm glider cord SG 11303 / 80mm glider cord SG 11302 / 80 mm roller glider cord SG 6099. Compliant to Child Safety legislation EN 13120.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Support SG 6152





SG 6152

Ceiling support set 9 mm

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 6783 (M4x10) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*51*
SG 11207 / SG 11217	*71*
SG 11208 / SG 11218	*91*
SG 11209 / SG 11472	*80-100*



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 6783 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.



Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11472
Adjustable Square Smart Fix

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.
Recommended for straight systems only.



SG 6141
Clamping piece

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11669
Fillet bracket

Maxi adjustable bracket SG 20334



Screw SG 6783 (M4x10) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 20334
Maxi adjustable bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11605

SG 11651

SG 11652

Endcaps:

- *SG 11605 Flush endcap 50 mm*
- *SG 11651 Stud endcap 50 mm*
- *SG 11652 Design endcap 50 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11605 (left).*
- *Alternatively, stud endcaps SG 11651 can be selected at no additional cost.*

B. FINIALS



Finials are decorative elements that fit on at the end of the pole:

- *SG 11753 Groove cylinder 50 mm*
- *SG 11754 Glass ball 50 mm*
- *SG 11756 Ball end 50 mm*
- *SG 11757 Spear 50 mm*
- *SG 11758 Ellipse 50 mm*
- *SG 11759 Taper 50 mm*

C. WAVE





Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



Optional component:

- *SG 6099 Wave roller cord 80 mm*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 11303 Wave 2C glider Cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 175 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 3091
Cord ø 3.5 mm



SG 6063
Overlap arm

SG 6065
End stop



SG 6173
Connection bridge



SG 6354
Pilot runner



SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 10731
Child safety retainer set

SG 11300
2C glider

SG 11605
Flush end cap 50 mm

SG 11607
Profile



SG 11662
Cord guide 50 mm



SG 11703
Cover

SG 11704
Cover

SG 20334
Maxi adjustable bracket

B. OPTIONAL PARTS

SG 3582
Hook



SG 6099
Wave roller cord 80 mm



SG 6152
Ceiling support set 9 mm



SG 6175
Mini hanger

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6784
Hexagon socket countersunk screw M4x8 mm

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11295
End stop

SG 11301
2C glider on strip



SG 11302
Wave 2C glider cord 80 mm



SG 11303
Wave 2C glider cord 60 mm



SG 11472
Adjustable Square Smart Fix

SG 11651
Stud end cap 50 mm

SG 11652
Design end cap 50 mm



SG 11664
Intermediate guide 50 mm



SG 11668
Top fix bracket



SG 11669

Fillet bracket



SG 11702

Connection bridge



SG 11717

Wave single stack return pulley 50 mm



SG 11753

Groove cylinder 50 mm



SG 11754

Glass ball 50 mm



SG 11756

Ball end 50 mm



SG 11757

Spear 50 mm

SG 11758

Ellipse 50 mm



SG 11759

Taper 50 mm

SG 7650



PRODUCT INFORMATION

- ***Operation:*** *motorised*
- ***Range:*** *S - L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) roller technology*
- *Wave (2C)*
- *2 motor options*
- *Various control options*
- *Touch & Go*
- *Manual override*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

← max. →

6 m

kg max.

45 kg

Maximum curtain weight - SG 5100

Application with rollers

	3 m	6 m
	20	25
	20	25
		(kg max.)

Application with Wave gliders

	3 m	6 m
	20	20
	20	20
		(kg max.)

Maximum curtain weight - SG 5600

Application with rollers / Wave rollers

	2 m	6 m
	25	45
	25	45
		(kg max.)

Application with Wave gliders

	2 m	6 m
	20	25
	20	25
		(kg max.)

B. PROFILE

Profile Information



SG 11608
Profile



SG 10850
Profile



SG 10925
Profile

C. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements

	50 mm	
	X	Y
SG 11605	2	51
SG 11651	10	56
SG 11652	24	75
SG 11763	115	51
SG 11764	83	70
SG 11766	90	85
SG 11767	165	70
SG 11768	32	130
SG 11769	30	100

Profile cross sections



SG 7650 with electric curtain track SG 5600



SG 7650 with electric curtain track SG 5100

D. SPECIFICATION TEXT

Silent Gliss SG 7650 'Metropole' electrically operated curtain track system. *Comprises 50 mm aluminium profile SG 11608 supplied made to measure with SG electric track system SG 5600 / SG 5100 (refer to Silent Gliss for technical catalogue for motor and control options). Supplied as standard with wall 'face' Fillet brackets SG 11669 at max. 600 mm centres. Optional wall fix brackets SG 11206-11208 / SG 11216-11218 / SG 11209 / SG 11472 / Fillet bracket SG 11669. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with plate SG 6151 / bracket SG 6175 / SG 11668 at max. 600 mm centres. Finished in Black, White, Matt White, Ecru, Slate Grey, Bronze, Antique Bronze, Silver Anodised, Anodic Grey and Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using - for SG 5100 track system 60 mm glider cord SG 10906 / 80 mm glider cord SG 10905 – for SG 5600 track system 80 mm glider cord SG 10905 / 60 mm glider cord SG 10906 / 60 mm wave 2C roller glider cord SG 10869 / 80 mm wave 2C roller glider cord SG 10852.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.



B. CEILING FITTING

Support SG 6152





SG 6152

Ceiling support set 9 mm

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 6783 (M4x10) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*35*
SG 11207 / SG 11217	*55*
SG 11208 / SG 11218	*75*
SG 11209 / SG 11472	*64-84*



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 6783 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.



Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11472
Adjustable Square Smart Fix

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.
Recommended for straight systems only.



SG 6141
Clamping piece

SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 11669
Fillet bracket

Maxi adjustable bracket SG 20334



Screw SG 6783 (M4x10) needed.



SG 6141
Clamping piece

SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 20334
Maxi adjustable bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11605

SG 11651

SG 11652

Endcaps:

- *SG 11605 Flush endcap 50 mm*
- *SG 11651 Stud endcap 50 mm*
- *SG 11652 Design endcap 50 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11605 (left).*
- *Alternatively, stud endcaps SG 11651 can be selected at no additional cost.*

B. FINIALS



Finials are decorative elements that fit on at the end of the pole:

- *SG 11763 Groove cylinder 50 mm*
- *SG 11764 Glass ball 50 mm*
- *SG 11766 Ball end 50 mm*
- *SG 11767 Spear 50 mm*
- *SG 11768 Ellipse 50 mm*
- *SG 11769 Taper 50 mm*

C. WAVE WITH SG 5600





Standard components with SG 5600:

- *SG 6365 Wave hanger*
- *SG 10844 Wave end stop*
- *SG 10852 Wave 2C roller cord, 80 mm*
- *SG 10854 Wave overlap arm support*
- *SG 10856 Wave end stop, belt return*
- *SG 10867 Panhead screw*
- *SG 10886 Wave extension*
- *SG 10887 Wave overlap arm set*



Optional components with SG 5600:

- *SG 10845 Wave master carrier single stack 80 mm*
- *SG 10869 Wave 2C roller cord, 60 mm (no single stack)*
- *SG 10905 Wave glider cord, 80 mm*
- *SG 10906 Wave glider cord, 60 mm (no single stack)*
- *SG 10924 Wave glider support*



Curtain components with SG 5600:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C roller / glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

Roller / glider cord SG 10852 / 10905	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	210 per metre of track	90
80	7	~2.3	160	210 per metre of track	100

Roller / glider cord SG 10869 / 10906	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	260 per metre of track	70
60	5	~2.3	120	260 per metre of track	80

**Stack size B plus 195 mm for each curtain stack*

D. WAVE WITH SG 5100





Standard components with SG 5100:

- *SG 6365 Wave hanger*
- *SG 10854 Wave overlap arm support*
- *SG 10856 Wave end stop, belt return*
- *SG 10867 Panhead screw*
- *SG 10887 Wave overlap arm set*
- *SG 10905 Wave glider cord 80 mm*
- *SG 10924 Wave glider support*



Optional components with SG 5100:

- *SG 10845 Wave master carrier single stack 80 mm*
- *SG 10906 Wave glider cord 60 mm (no single stack)*



Curtain components with SG 5100:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

Glider cord SG 10905	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

Glider cord SG 10906	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B plus 195 mm for each curtain stack*

MOTORS & CONTROLS

Electric curtain track system SG 5600



For detailed motor features and specifications and control options, refer to SG 5600 catalogue.

Electric curtain track system SG 5100



For detailed motor features and specifications and control options, refer to SG 5100 catalogue.

PARTS

A. STANDARD PARTS



SG 5190
Motor 100-240V AC, 1/130, radio receiver



SG 6086
Spring stop



SG 6141
Clamping piece



SG 6783
Hexagon socket countersunk screw M4x10 mm



SG 9916
Hirschmann plug set



SG 10815
Cover

SG 10822
Master carrier



SG 10823
Belt connector arm



SG 10824
Belt connector pin



SG 10825
Belt



SG 10836
Mask pair stack



SG 10854
Wave overlap plate



SG 10867
Pan head screw Freedriv M4x16



SG 10925
Profile

SG 10926
Clamp

SG 10927
Hook

SG 10931
Roller



SG 10933
Gear drive set



SG 10936
Overlap arm



SG 10940
Guide return



SG 10945
End stop

SG 11605
Flush end cap 50 mm

SG 11608
Profile

SG 20334
Maxi adjustable bracket

B. OPTIONAL PARTS

SG 3004
Clamp

SG 3582
Hook



SG 6152
Ceiling support set 9 mm



SG 6175
Mini hanger

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6365
Wave hanger



SG 6784
Hexagon socket countersunk screw M4x8 mm



SG 9060
Motor 100-250V AC & 24V DC



SG 9917
Hirschmann portable socket-outlet STAK 3 N

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10725
Programming distance holder



SG 10816
Cover



SG 10817
Motor holder



SG 10819
Belt return



SG 10820
Overlap arm



SG 10821
Overlap arm



SG 10826
Overlap arm support



SG 10837
Pilot runner



SG 10838
Pilot runner

SG 10840
2C roller



SG 10844
Wave end stop



SG 10845
Wave master carrier



SG 10850
Profile



SG 10852
Wave 2C roller cord 80 mm



SG 10856
Wave extension



SG 10869
Wave 2C roller cord 60 mm



SG 10886
Wave extension



SG 10887
Wave extension



SG 10905
Wave glider cord 80 mm



SG 10906
Wave glider cord 60 mm



SG 10923
Pan head screw Freedriv M4x12



SG 10924
Wave glider support



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11295
End stop



SG 11472
Adjustable Square Smart Fix

SG 11651
Stud end cap 50 mm

SG 11652
Design end cap 50 mm



SG 11668
Top fix bracket



SG 11669
Fillet bracket



SG 11671
Plate



SG 11763
Groove cylinder 50 mm



SG 11764
Glass ball 50 mm



SG 11766
Ball end 50 mm

SG 11767
Spear 50 mm



SG 11768
Ellipse 50 mm

SG 11769
Taper 50 mm

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the world's smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss Ltd.
Pyramid Business Park
Poorhole Lane, Broadstairs
Kent CT10 2PT
United Kingdom
T +44 1843 863571
F +44 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd.
Pyramid Business Park
Poorhole Lane, Broadstairs
Kent CT10 2PT
United Kingdom
T +44 1843 874250
F +44 1843 864503
info@silentglissglobal.com

Silent Gliss Blinds Trading LLC
Office 1906
The H Hotel Complex
Trade Center First
Dubai
United Arab Emirates
T +971 4 7050318
info@silentgliss.ae

silentgliss.co.uk
silentglissglobal.com
silentgliss.ae