IMPORTANT INFORMATION

Textile Technical Advice

SMD endeavour to maintain a match to the selling sample, however we cannot guarantee an exact match.

Pattern repeats, usable and overall widths are given as a guide and may vary slightly from that stated.

Design straightness cannot be guaranteed to be perfectly aligned but should not deviate by more than 2%.

Colour Continuity

Whilst we strive to ensure that every batch matches our swatches, variations do occur. If you require an exact match to a previous order please make the sales team aware at the time of ordering and if necessary please send a cutting to help match to.

Pattern Repeats

Pattern repeats are given as a guide only and may vary slightly from that stated.

Repeats should fall within a +/- 4% tolerance.

Roll Size

Fabric roll sizes are approximate. Should you have a minimum or maximum requirement please advise cuts at time of placing order.

Cut Lengths

We advise that customers should allow a sufficient tolerance for adequate make up. We recommend adding 3% or a minimum of 10cm to the calculated fabric requirement.

Quality

We work to the industry standard of an allowance of one fault in every ten metres, plus one, within full and half rolls.

Product Care

Always allow for 5% shrinkage upon first wash or dry clean.

Due to variations in atmospheric conditions, shrinkage or relaxation of curtains/blinds may occur whilst hanging at your window(s).

We recommend all curtains are lined, as lining protects the face fabric from sunlight.

Always follow the specific care instructions for each fabric - please refer to pages 3 (Special Care) and 4 (Washing Care) to see the care reference symbols.

We recommend the use of colour-protective detergents on fabrics that can be machine washed.

All spills on fabrics must be removed immediately using a clean, damp sponge. Do not rub or soak the fabric.

We recommend that before treating any stain, spot cleaners are pre-tested on a spare piece of fabric, or unobtrusive area of the article in order to assess colour change/loss.

Due to the polymer finishes used in the manufacture of leather furniture, it is advisable to avoid the use of dyed fabrics (particularly medium and dark shades) in close proximity to leather suites.





SPECIAL CARE INSTRUCTIONS FOR YOUR FABRICS

- 1. Iron on reverse
- 2. Do not iron velvet section
- **3.** After first wash or dry clean, shrinkage can be up to 5%.
- If spilling occurs, wipe immediately with clean damp cloth
- 5. Textures effect are design characteristics
- 6. Textures effect are due to slub yarn used
- **7.** Creases are design characteristics
- 8. Slight imperfections are design characteristics
- 9. Pocket-weave fabric results in an uneven surface
- **10.** Visible reed lines are design characteristics, blackout lining recommended
- **11.** Colours from the reverse are visible on the face of fabric

- 12. Contains natural yarn, the colour may vary
- 13. Varied distressing is a design characteristic
- **14.** Pattern repeat may vary
- **15.** The raised pile in the fabric can create a shade difference dependant on the direction of light
- 16. Embroidered fabric, may have visible needle holes
- 17. The use of blackout lining is recommended as weft threads carried across the back of the fabric can cause a striped effect
- **18.** Creases are a natural characteristic of a fabric with a high linen content
- 19. Raised piping creates an uneven surface
- **20.** Loose threads on the surface are a natural characteristic and this is unavoidable
- 21. Shrinkage yarns have been used to create an embossed look to the fabric

- 22. Remove spillages promptly with an absorbent dry cloth. Vacuum and wipe clean regularly with a damp cloth to remove dust particles and prevent build-up of dirt
- **23.** Clean and care for your upholstery on a regular basis and it will maintain its condition and appearance
- **24.** Do not apply other chemicals such as furniture polish, stain remover or solvents
- 25. For spot stain removal, use a damp cloth or dry cleaning solution. Work from the edge of the stain towards the centre to avoid spreading the stain. Use as little cleaning product and moisture as possible and pat dry afterwards. Do not over rub the surface of the fabric.


All upholstery fabrics are not flame retardant. If this treatment is required please contact our sales team for details of suitability. Or check the product details at www.halliswebshop.com







WASHING WITH CARE



N	¥0° 200×
0	₩
Р	
Q	
R	¥0°/ — XX
S	¥0°/ — X
T	¥ 10 Ø Ø
U	
Upholstery Grades	
LD	Light Domestic (Greater than 15,000 Martindale rubs)
GD	General Domestic (Greater than 20,000 Martindale rubs)
HD	Heavy Domestic (Greater than 40,000 Martindale rubs)
SC	Severe Contract (Greater than 40,000 Martindale rubs)











Hand wash only



Do not wash



40 degree wash on gentle cycle



30 degree wash on gentle cycle



30 degree wash



40 degree wash



60 degree wash



Cool iron on reverse



Medium iron on reverse



Do not iron



Dry clean only



Dry clean with care



Do not dry clean



Do not bleach



Do not tumble dry



Bleach with chlorine